

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

In the last mentioned work, on page 132, may be found a statement that "some species of gyrfalcon has been credited to the fauna of Wisconsin in an early day, a thing by no means impossible or unlikely; but there is no actual record obtainable at present." Further it states there was one at Oshkosh, said to have been killed near Lake Winnebago. We have no intimation what became of this specimen nor any proof that it even was a gyrfalcon.

In view of these facts I do not hesitate to say that my bird constitutes the first actual record for Wisconsin.—W. E. SNYDER, Beaver Dam, Wis.

Northern Pileated Woodpecker in Massachusetts. — During a trip to the Berkshire Hills early in June for the purpose of seeing birds of that region, while walking up Greylock on the morning of June 7, 1905, we heard the harsh call of the Northern Pileated Woodpecker (Ceophlœus pileatus abieticola). The bird flew over the road and settled on a large dead tree trunk at quite a distance, where, guided by his hammering, we found a fine male at work three feet from the ground. We had good views of him then at close range and as he flew away. I was very glad that this beautiful woodpecker of the wild forests should still remain a resident of Massachusetts. — Lidian E. Bridge, West Medford, Mass.

A Rare Plumage of the Ivory-billed Woodpecker (Campephilus principalis). — A superb specimen of this magnificent woodpecker, which I obtained on February 19, 1894, in Jefferson County, Florida, has the ends of all the longer primaries (except the 3d and 4th) pure white. This specimen is an adult male in very high nuptial plumage, and is No. 3002 of my register. An adult female, which also was taken in Jefferson County, closely resembles the above male in the peculiar pattern of the primaries.

From a series of many specimens that I collected in different parts of Florida in the years 1892, 1893, and 1894, the two birds above described are the only ones, as far as I can recall, that were marked peculiarly as regards the longer primaries.—ARTHUR T. WAYNE, *Mount Pleasant*, S. C.

The Prairie Horned Lark (Otocoris alpestris praticola) on Mount Washington, N. H. — I have lately spent thirteen days (July 7-19, 1905) at the summit of Mount Washington, where I was surprised to find two Prairie Horned Larks at home in or near what is known as the Cow Pasture, a comparatively level, sedgy, boulder-besprinkled place far above the tree line. One or both of the birds was seen and heard daily (usually twice a day — forenoon and afternoon) up to the 16th. On two occasions one was seen with its mandibles loaded with what seemed to be insects, and in general their behavior was such as to make it all but certain that they were breeding near by; but all my attempts to find the nest were unsuc-